



# ***Air Tool & Accessories***



***Air Tools***

***Paint Systems***

***Accessories***

## 19 pc Air Tool Kit

19669

- 3/8" Dr. Air Ratchet
- 1/2" Dr. Impact Wrench
- 1/2" Dr. Impact Sockets: 1/2", 9/16", 5/8", 11/16", 13/16", 10mm, 12mm, 15mm, 17mm, 19mm and 21mm.
- 3/8"F to 1/2"M Impact Socket Adapter
- 1/2" Dr. x 3" Impact Extension
- 1/4" NPT Male Industrial Plugs (2)
- Air Tool Oil
- Carry Case



## 20 pc Air Die Grinder Kit

19701

- 1 Straight die grinder
- 10 Assorted grinding stones
- 1 Collet
- Blow molded storage case
- 1 Angle die grinder
- 2 Connectors
- 4 Wrenches



## 3" Air Cut-Off Tool

19703

- Ideal for cutting sheet metals, fiberglass, bolts, muffler clamps etc.
- No-load speed: 18,000 RPM
- Includes 3" abrasive wheel, arbor wrench and allen wrench



## Air Die Grinder

19704

- Ideal for light duty metal fabrication, grinding, porting and polishing applications
- Durable, lightweight composite housing design helps reduce vibration
- Lever lock throttle for safety.
- 1/4" Collet
- Includes 2 collet wrenches



## 1/2" Air Impact Wrench

19706

- Die cast aluminum body with rubber scuff guards on nose and back
- Reversible
- Built-in air regulator varies speed & power
- Front exhaust
- Max torque: 230 ft/lbs (310 N/m)



## 3/8" Air Ratchet

19707

- Light-weight aluminum body
- Forward/reverse lever conveniently located for quick direction changes
- Front exhaust blows debris away from work area.
- Compact head design allows access to confined areas
- Max torque: 45ft/lb (68N/m)



## Air Hammer

19709

- Hardened steel barrel & piston
- Lightweight aluminum pistol-grip housing
- Front exhaust
- Includes the 4 most popular chisels
- 4,500 blows per minute



## 6" Orbital Sander

19225

- Low profile design with ergonomic grip
- Random orbital action assures a swirl-free finish
- Variable air speed control -- 5mm orbit for rapid material removal
- 6" diameter premium urethane vinyl face pad



# Air Line Accessories

## 6" Sanding Pad

19226

- Standard replacement pad for Vaper item 19225 and other dual action sanders
- For self-adhesive abrasives
- Max operating speed: 10,000 RPM



## 5 pc Grinding Stone Set

19352

- 5 assorted grinding stones for Vaper 19701 die grinders and similar models with 1/4" collets
- Rated for 25,000 RPM



## 5 pc 3" Cut Off Wheels

19336

- 3" diameter x 1/16" thick
- Fits standard 3/8" spindle
- 25,000 RPM rating
- For use with Vaper #19703 Cut-Off Tool and other similar models



## 4 pc Air Chisel Set

19355

- Assortment of the 4 most popular chisels for Vaper 19709 Air Hammer and other similar models with .401" bores
- 4-3/4" overall length
- Bushing splitter, weld buster, ripping chisel and tapered punch



## Female Air Chuck with Clip

19334

- 1/4" NPT (F)
- Handy clip holds chuck on tire valve until released



## Ball Foot Chuck

19323

- 1/4" NPT (F)



## Spot Spray Non-Aerosol Sprayers

19419 - RED Sprayer

19421 - Twin Pack

- 80-150psi operating pressure (max pressure: 200 psi)
- Refillable
- Not for use with paint products
- Eliminates dangerous or harmful propellants
- No more aerosol disposal issues
- Eco friendly
- Maximum capacity 32oz



19419

## Air Adjusting Valve w/Gauge

19359

- 0 to 140 PSI gauge
- 1/4" NPT Male and female fittings



## Rebuild Kit for Spot Spray Non-Aerosol Sprayer

19420

- Rebuild Kit for Vaper # 19419
- Kit includes: Pin stream Nozzle, Spray Nozzle, Head Washer, Valve Seat Adaptor, Inner Washer, Valve, Valve Spring, Black Cap, Filler Valve (Assembled together with filler cap assembly), Filler Cap Assembly, Cap Gasket, Sealing Washer, Guiding Nut, Trigger, Cotter Pin, & Trigger Liner



## Air Line Inflator Gauge

19341

- 1/4" NPT (M)
- 10 - 120 PSI gauge
- Dual foot chuck



## Tire Inflator/ Dial Gauge

19344

- 1/4" NPT (F)
- 0 - 160 PSI
- Locking chuck



# Air Line Accessories

## 17 pc Air Accessory Kit

19338

- Blow Gun
- (2) 1/4" NPT brass double male connectors
- 1/4" NPT double female connector
- 6" offset dual-head tire chuck
- Tire pressure gauge
- 1/4" NPT Brass female coupler
- (2) 1/4" NPT female plugs
- (4) 1/4" NPT male plugs
- Sports ball inflator and adaptor
- Inflatable toy inflator and safety adaptor



## 4 pc Air Inflator Kit

19356

- Use to inflate tires, air mattresses and sports equipment
- Includes inflation adapter, tapered inflation nozzle, inflation needle, and tire nozzle



## 7 pc Blow Gun Kit

19337

- Blow gun with 6 accessory attachments:
- 3-3/4" extension
- Rubber tip
- Sports ball inflator and adaptor
- Inflatable toy inflator and safety adaptor



## Dual Head Tire Chuck

19324

- 1/4" NPT Female
- 6" overall length
- Offset dual head



## Air Hammer Retainer Spring

19710

- Replacement retainer spring for item 19709



# Connectors, Plugs and Couplers

## 2 pc Male Plugs

19322

- (2) 1/4" NPT Male Quick-connect fittings



## 2 pc Female Plugs

19325

- (2) 1/4" NPT Female Quick-connect fittings



## Double Male Connector

19361

- 1/4" NPT Male adapter allows 2 Female accessories to be connected



## Air Line Couplers

19326 - 1/4" NPT Female

19343 - 1/4" NPT Male

- Attaches to end of air hose to connect to air tools and accessories equipped with plugs



## 4 pc Quick Connector Kit

19330

- Includes 1/4" NPT:
- Steel female coupler
- Male plug
- Female plug
- Double male connector



## 5 pc Coupler and Plug Set

19333


- Includes 1/4" NPT:
- Steel female coupler
- (4) Male plugs



## AMT 3-Way Composite Couplers

19304 - Female / 19305 - Male

- Accepts the 3 most popular 1/4" nipple styles:
  - A Style: ARO 210 style
  - M Style: Milton or industrial style
  - T Style: Tru-Flate/Parker Automotive style
- Light and durable nylon construction
- Maximum working pressure: 210 PSI



**Fits A, M and T style fittings**

# Air Line Accessories

## Air Hose & Blow Guns

### 1/4" x 25 ft. Polyurethane Recoil Air Hose

19368

- 1/4" NPT brass fittings with swivel-action to keep hose free of kinks
- High visibility yellow color for a safer workplace
- Oil-proof and abrasion & corrosion resistant
- 120 PSI working pressure



### 4" Air Blow Gun

19360

- Variable air pressure control
- Allows for quick removal of dust and dirt particles from hard to reach places
- Durable plastic body and stainless steel nozzle



### Blow Gun Chip Shield

19385

- Attaches to blow gun nozzle to prevent blow-back material out of operator's eyes



### 3/8" x 50' PVC Air Hose

19371

- Resists gasoline, oil and other automotive liquids
- Premium grade hose with bend restrictors at each end for prolonged life
- Includes 1/4" NPT male fittings at each end
  - Working pressure: 300 PSI
  - Burst pressure: 1,200 PSI




### Long Nozzle Air Blow Gun

19387 - 20"

19388 - 30"

19389 - 40"

- Variable air pressure control
- Allows for quick removal of dust and dirt particles from hard to reach places
- Durable plastic body and steel nozzle with brass threaded air inlet



### 3/8" x 50' Hybrid Air Hose

19377

- Blended rubber and PVC hose is extremely light weight and flexible
- Bend restrictors at each end for prolonged life
- Resists kinking and curling
- Includes 1/4" NPT male fittings at each end
- Working pressure: 300 PSI
- Burst pressure: 1,200 PSI



### Inline Blow Gun

19378

- Allows quick access
- Includes rubber safety tip
- 1/4" NPT Threads



### Pocket Blow Gun

19380

- Lightweight anodized aluminum
- Twist action adjustable valve for better air control
- Fits standard 1/4" air couplers



### Polyurethane Air Hoses

19365 - 25ft.

19366 - 50ft.

19367 - 100ft.

- 1/4" NPT brass fittings with swivel-action to keep hose free of kinks
- Up to 50% lighter than standard rubber air hoses
  - Durable braided polyurethane construction with abrasion resistant finish



## Air Hose Accessories

### 1/4" Swivel Connector

19369

- Convenient for all air tools
- Air flow control knob
- Working pressure: 90 PSI (6Kg/cm<sup>2</sup>)
- Increases hose life by preventing twists & kinks



### 3/8" Hose Mender - 19345

-(IMAGES NOT AVAILABLE)

### 3/8" Hose Ends, 1/4" NPT - 19346

- Repairs 3/8" I.D. air hose
- (IMAGES NOT AVAILABLE)

## Professional Blow Guns

### Snub Nose Safety Blow Gun

Item# 19397



Protective Snub Nose

### 4 1/2" Professional Safety Blow Gun

Item# 19398



Vented Tip

### Low-Noise Safety Blow Gun

Item# 19399



Noise Reduced

- **Extremely Quiet**
  - Noise Reduced tips ensure less noise than standard blow guns
- **Stainless Steel**
  - Stainless steel eliminates corroding or material blemishes
- **OSHA Compliant**
  - OSHA STD 1910-95 & OSHA STD 1-13.1
  - Nitrile rubber seal
  - Variable speed trigger
  - 1/4" NPT (F)
  - Durable brass threading
  - Scratch resistant rubber tip



Part#:	Noise level at 100psi:	Air consumption at 100psi:	Blowing force at 100psi:	Operating Pressure:	Operating Temperature:
19397	77db (OSHA compliant)	15.89 cfm	.83lbs	50psi-235psi	14F -158F
19398	80db (OSHA compliant)	15.18 cfm	.76lbs	50psi-235psi	14F -158F
19399	75db (OSHA compliant)	13.42 cfm	.31lbs	50psi-235psi	14F -158F



**ALWAYS WEAR EYE PROTECTION THAT COMPLIES WITH ANSI STANDARD**

SIEMPRE USE PROTECCIÓN OCULAR QUE CUMPLA CON LOS ESTANDARES DE ANSI (E.U.A.)  
TOUJOURS PORTER DES LUNETTES DE PROTECTION CONFORMES AUX NORMES DE L'ANSI.



# NEW!

## Filter-Regulator-Lubricators


### FRL's in 3 Popular Sizes: 1/4, 3/8 & 1/2"

#### Air-Filter-Regulators

19306-19309: 1/4" • 19296-19298: 3/8" • 19299-19301: 1/2"

- Maintains steady outlet pressure, unaffected by variations / fluctuations in the inlet pressure
- Aluminum die cast construction with a Non raising "Press to Lock" adjusting knob for locking at any set pressure
- Can be installed in any position (horizontal / vertical etc.)
- Modular mounting systems allows for removal of components without disturbing the pipe line


#### 1/4" FRL's



#### 3/8" FRL's



#### 1/2" FRL's



Item#:	Inlet/Outlet Port Size:	Pressure Gauge Port Size:	Max Pressure (PSI / BAR):	Maximum Flow Rate:	Pressure Adjustment Range:
19296	3/8"	1/8"	220PSI / 15 BAR	88 CFM	7 to 200
19297	3/8"	1/8"	145PSI / 10 BAR	64 CFM	7 to 145 PSI
19298	3/8"	1/8"	145PSI / 10 BAR	71 CFM	7 to 145 PSI
19299	1/2"	1/8"	220PSI / 15 BAR	140 CFM	7 to 200 PSI
19300	1/2"	1/8"	145PSI / 10 BAR	106 CFM	7 to 145 PSI
19301	1/2"	1/8"	145PSI / 10 BAR	123 CFM	7 to 145 PSI
19306	1/4"	1/8"	145PSI / 10BAR	48 CFM (1350 LPM)	7 to 145 PSI
19307	1/4"	1/8"	145PSI / 10 BAR	18 CFM (500 LPM)	7 to 145 PSI (0.5 to 10 BAR)
19308	1/4"	1/8"	145 PSI / 10 BAR	20 CFM (550 LPM)	7 to 145 PSI (0.5 to 10 BAR)
19309	1/4"	1/8"	220PSI / 15 BAR	21 CFM (600 LPM)	7 to 145 PSI (0.5 to 10 BAR)

# Spray Guns

## 19000 Series Spray Guns

### Gravity Feed H.V.L.P. Spray Guns

19000 1.4 mm, blue body

19018 1.8 mm, red body

19023 2.3mm, green body

- Locking pressure regulator with gauge
- Includes locking air regulator with gauge
- Air Consumption: 7.0 - 9.0 CFM
- Stainless steel needle
- Air Inlet: 1/4"
- 600cc plastic paint cup
- Brass Fluid & Air Nozzle



## 19100 Series Spray Guns

### 3 pc Dual Set-Up H.V.L.P. Spray Gun Set

19100

Set includes:

- (1) 1.4mm needle and nozzle set for lighter materials
- (1) 1.7mm needle and nozzle set for heavier materials
- (1) Locking Pressure regulator with gauge



### H.V.L.P. Touch-Up Spray Gun

19110

- 1.0 mm touch up gun
- 100 cc Aluminum paint cup
- Ships in reusable storage tray
- Includes cleaning kit with maintenance tools



### Gravity Feed H.V.L.P. Spray Guns

19113 1.3mm Needle & Nozzle

19114 1.4mm Needle & Nozzle

19115 1.5mm Needle & Nozzle

19117 1.7mm Needle & Nozzle

19120 2.0mm Needle & Nozzle

19123 2.3mm Needle & Nozzle

- Includes locking pressure regulator with gauge
- 1000 ml aluminum paint cup
- Spray pattern control knob on side of guns
- Air Inlet: 1/4"
- Operating pressure: 15 - 45 P.S.I.
- Avg. Air consumption: 7.0 - 9.0 C.F.M.



## 19200 Series Spray Guns

### 4 pc H.V.L.P. Color-Coded Triple Set-Up Spray Gun Kit with Case

19221

Green Gun - 1.0 mm nozzle

Red Gun - 1.4mm nozzle

Blue Gun - 1.7mm nozzle

Locking pressure regulator with gauge

Bonus aluminum storage/carry case



### 4pc HVLP Triple Set-Up Spray Gun Kit

19220

(1) 1.0 mm nozzle set for touch up work

(1) 1.4mm nozzle set for lighter materials

(1) 1.7mm nozzle set for heavier materials

(1) Locking pressure regulator with gauge





# Spray Guns

## 19200 Series Spray Guns cont.

### 3 pc H.V.L.P. Dual Set-Up Spray Gun Kit

19219

- (1) 1.0 mm for touch up work
- (1) 1.4 mm for bases and clear coats
- (1) Locking pressure regulator with gauge

#### Features and Specs:

- Aluminum paint cups
- 2-Step trigger control
- Non-bleeder type, gravity feed external mix
- Stainless steel nozzles
- Adjustable spray width, air inlet and fluid outlet



### 4 pc H.V.L.P. Dual Set-Up Spray Gun Kit

19223

Gun A - 1.4 mm production gun / Gun B - 1.7mm production gun

- Locking pressure regulator with gauge
- 6" Random orbital sander for paint prep and finishing applications
- Mesh filters for gravity feed paint cups
- 2 spray gun wrenches
- Cleaning brush



### 4 pc H.V.L.P. Triple Set-Up Spray Gun Kit with Case

19229

#### Set Includes:

- Blue Gun - 1.0 mm nozzle set for lighter materials and touch up work
- Red Gun - 1.4mm nozzle set for lighter materials
- Green Gun - 1.7mm nozzle set for heavier materials
- Locking pressure regulator with gauge
- Bonus storage/carry case

#### All Guns:

- Spun aluminum paint cups
- Die cast aluminum body
- 2-Step trigger control
- Non-bleeder type, gravity feed external mix
- Stainless steel nozzles
- Adjustable spray width, air inlet and fluid outlet



## Additional Spray Guns

### 1.4mm Gravity Feed HVLP Spray Gun

19014

- Unlike siphon feed guns, gravity feed guns ensure virtually 65-85% material usage
- Lightweight aluminum paint cup
- Stainless steel needle and nozzle set resists corrosion and wear from abrasive materials
- Air valve for precise air flow adjustment
- Includes pressure regulator and cleaning kit



### Dual Action Gravity Feed Airbrush

19551

- Balanced, lightweight design with chrome plated finish
- Dual action trigger for greater control - press down for air; pull back for paint
- For use with automotive or water based paints



### 1.5mm Air Brush Hose

19552 - (IMAGE NOT AVAILABLE)

### 3pc Dual Set-Up HVLP Spray Gun Kit

19800

#### Set includes:

- (1) 1.4mm set for lighter materials
- (1) 1.7mm set for heavier materials
- (1) Locking Pressure regulator with gauge
  - 1000 ml aluminum paint cups
  - Air Inlet: 1/4"
  - Operating pressure: 15 - 45 P.S.I.
  - Avg. Air consumption: 7.0 - 9.0 C.F.M.



### Siphon Feed Production Spray Gun

19418

- Fully adjustable spray pattern
- 1.8 mm needle and nozzle set for heavier materials
- Non bleeder type, siphon feed
- External mix for fine atomization
- Spun aluminum 1 liter canister



# Spray Gun Accessories

## Gravity Feed Paint Cups

19900, 19903 & 19906

19900 - Plastic, 600ml capacity

- Fits VAPER 19000 Series production spray guns

- Includes vented screw-on lid

19903 - Stainless Steel, 150ml capacity

19906 - Aluminium, 1000ml capacity

- Fits VAPER 19100 & 19200 Series production spray gun

- Includes snug fitting press fit lid



19906



19903



19900

## Paint Cup Replacement Lids

19902 & 19907

- Snug fitting press fit

19902

- Fits 150ml capacity stainless steel paint cup

- Fits VAPER 19100 & 19200 Series touch-up spray guns

19907

- Fits 1000ml capacity stainless steel paint cup

- Fits VAPER 19100 & 19200 Series production spray guns



## 5 pc In-line Filter Screens

19911

- Genuine VAPER Replacement Part

- Fits all VAPER Gravity feed spray guns

- In-line mesh filter removes dirt particles from paint to protect against defects

- Insert into gravity feed spray gun fluid inlet prior to cup installation



## Magnetic Spray Gun Holder

19991

- Provides convenient storage of gravity feed spray guns when not in use

- Attaches to spray booth walls, work stations, tool boxes or any metal surface

- Vinyl coated hooks protect spray gun finish from scratches
- Spray gun not included



## Spray Gun Cleaning Kit

19112

- Ideal for cleaning all types of paint spray guns

- Maintain your spray guns and keep them lasting longer

- Brushes can be used with all types of paint thinners and spray gun cleaning solvents

- Designed to clean gun and all fluid and air passages without damage



## Spray Gun Holder

19990

- Heavy duty steel construction

- Funnel holder over paint cup for easy filling



## Disposable Inline Moisture Filters

19302

- Helps reduce painting defects

- Removes moisture, oil vapor and rust particles that pass through conventional filters

- Mounts at spray gun for best protection

- High flow design minimizes pressure drop to spray gun



## 1/4" Locking Pressure Regulator with Gauge

19303

- Small & lightweight

- Attaches to all conventional and HVLP spray guns



## 20 oz. Paint Mixing Cup

19905

- Works with Vaper gravity feed paint guns

- Translucent design with measurement scale for accurate mixing

- Durable polyethylene plastic for long life

- Includes cup, base stand, caps and coupler

- Cup capacity: 600ml



# Spray Gun Accessories

## Needle & Nozzle Sets



**For 19000 Series Spray Gun:**

- 19000-14 (1.4mm)
- 19000-17 (1.7mm)
- 19000-20 (2.0mm)
- 19000-23 (2.3mm)

**For 19100 & 19200 Series Spray Gun:**

- 19100-14 (1.4mm)
- 19100-17 (1.7mm)
- 19100-20 (2.0mm)
- 19100-23 (2.3mm)
- 19110-01 (1.0mm) touch up

## Spray Gun Re-Build Kits



19908 - Fits 19000 series Production Spray Guns

19909 - Fits 19100 & 19200 series Production Spray Guns

19910 - Fits 19100 & 19200 series Touch-Up Guns

- Extends the life of your spray guns
- Includes all parts needed for a rebuild

## Waterborne Paint Systems

### Air Dryer Gun Stand

19395

- Securely holds 2 air dryer guns (not included)
- Air dryer gun rotates 360° and locks in any position
- Includes 2 90 PSI air hoses
- Adjustable height up to 82" and width up to 34"
- Steel construction with brass air couplers



### Waterborne Ready HVLV Production Spray Gun

19614

- 1.4 mm needle and nozzle for high quality bases and clear coats
- Fast working speed and wide pattern
- Stainless steel needle and fluid tip
- 600ml plastic paint cup
- Cleaning kit included



19614-14

- 1.4mm Needle & Nozzle Set
- (IMAGE NOT AVAILABLE)

### Air Dryer Gun

19390

- Speeds drying time of waterborne industrial coatings
- Variable air flow provides drying flexibility
- Includes intake filter to stop flying debris
- Working air pressure: 2~4 bar
- Max air pressure: 12 bar
- Air consumption at 4 bar: 350 L/min
- Weight: 460g
- Sound pressure at 4 bar: 72dB



### Air Dryer Gun Replacement Parts

19390-01

- Replacement Screen

19390-02

- Replacement Directional Cone

19390-03

- Replacement Valve Assembly

19390-02



19390-01



19390-03

# PART NUMBER LISTING

PART NO.	DESCRIPTION	MASTER / INNER	UPC - CHECK DIGIT
19000	HVLP GRAVITY FEED SPRAY	10/1	802090-19000 -1
19000-14	1.4MM NEEDLE & NOZZLE SET	1/1	
19000-17	1.7MM NEEDLE & NOZZLE SET	1/1	
19000-20	2.0MM NEEDLE & NOZZLE SET	1/1	
19000-23	2.3 NEEDLE & NOZZLE SET	1/1	
19018	HVLP GRAVITY FEED SPRAY GUN	10/1	802090-19018 -6
19023	HVLP GREEN SPRAY GUN 2.3M	10/1	802090-19023 -0
19100	3PC DUAL SETUP HVLP SPRAY GUN KIT	5/1	802090-19100 -8
19100-14	1.4MM NEEDLE & NOZZLE FOR 19100	1/1	
19100-17	1.7MM NEEDLE & NOZZLE SET FOR 19100	1/1	
19100-20	2.0MM NEEDLE & NOZZLE SET FOR 19100	1/1	
19100-23	2.3MM NEEDLE & NOZZLE	1/1	
19110	HVLP TOUCH UP GUN 1.0MM	5/1	802090-19110 -7
19110-01	REPLACEMENT NEEDLES FOR 19110	1/1	
19112	SPRAY GUN CLEANING KIT, 11PC	48/6	802090-19112 -1
19113	1.3MM GRAVITY FEED HVLP SPRAY GUN	5/1	802090-19113 -8
19114	1.4MM HVLP CHROME SPRAY GUN	5/1	802090-19114 -5
19115	1.5MM GRAVITY FEED HVLP SPRAY GUN	5/1	802090-19115 -2
19117	1.7MM GRAVITY FEED HVLP SPRAY GUN	5/1	802090-19117 -6
19120	2.0MM GRAVITY FEED HVLP SPRAY GUN	5/1	802090-19120 -6
19123	2.3MM HVLP CHROME SPRAY GUN	5/1	802090-19123 -7
19219	3PC HVLP SPRAY GUN KIT	5/1	802090-19219 -7
19220	4PC HVLP TRIPLE SETUP SPRAY GUN KIT	5/1	802090-19220 -3
19221	4PC HVLP TRIPLE SETUP SPRAY GUN KIT	3/1	802090-19221 -0
19223	4PC HVLP DUAL SETUP SPRAY GUN KIT	3/1	802090-19223 -4
19225	6IN ORBITAL SANDER	10/1	802090-19225 -8
19226	6IN SANDING PAD	10/1	802090-19226 -5
19229	4PC SPRAY GUN SET	3/1	802090-19229 -6
19302	DISPOSABLE INLINE MOISTURE FILTERS, 2PC	48/6	802090-19302 -6
19303	AIR REGULATOR/GAUGE, LOCKING, 1/4IN NPT	48/6	802090-19303 -3
19304	AMT 3-WAY COMPOSITE COUPLER(FEMALE)	10/200	802090-19304 -0
19305	AMT 3-WAY COMPOSITE COUPLER(MALE)	10/200	802090-19305 -7
19322	MALE PLUG, I/M 1/4IN NPT, STEEL	192/12	802090-19322 -4
19323	BALL FOOT CHUCK, 1/4IN NPT, FEMALE	192/12	802090-19323 -1
19324	TIRE CHUCK, DUAL HEAD	96/12	802090-19324 -8
19325	FEMALE PLUG, I/M, 1/4IN NPT, STEEL	192/12	802090-19325 -5
19326	FEMALE COUPLER, I/M 1/4IN NPT, STEEL	192/12	802090-19326 -2

# PART NUMBER LISTING

PART NO.	DESCRIPTION	MASTER / INNER	UPC - CHECK DIGIT
19330	CONNECTOR KIT, I/M 1/4IN NPT 4PC	96/12	802090-19330 -9
19333	COUPLER AND PLUG SET, I/M, 1/4IN NPT	48/6	802090-19333 -0
19334	FEMALE AIR CHUCK/CLIP	192/12	802090-19334 -7
19336	CUT OFF WHEELS, 3IN X 1/16IN, 5PC	192/12	802090-19336 -1
19337	BLOW GUN KIT, 1/4IN NPT, 7PC	36/6	802090-19337 -8
19338	AIR LINE ACCESSORY KIT, I/M, 1/4IN NPT	24/6	802090-19338 -5
19341	AIR LINE INFLATOR GAUGE	24/6	802090-19341 -5
19343	MALE COUPLER, I/M 1/4IN NPT, STEEL	192/12	802090-19343 -9
19344	TIRE INFLATOR/DIAL GAUGE	24/6	802090-19344 -6
19345	3/8IN HOSE MENDER	192/12	802090-19345 -3
19346	3/8 HOSE ENDS, 1/4IN NPT	192/12	802090-19346 -0
19352	GRINDING STONE ASSORTMENT, 5PC	72/12	802090-19352 -1
19355	AIR CHISEL SET, 4PC	36/6	802090-19355 -2
19356	INFLATOR KIT, 4PC	12/192	802090-19356 -9
19359	AIR ADJUSTING VALVE/GAUGE	48/6	802090-19359 -0
19360	PISTOL GRIP NYLON BLOW GUN	12/48	802090-19360 -6
19361	DOUBLE MALE CONNECTOR, 1/4IN NPT	192/12	802090-19361 -3
19365	1/4IN X 25FT POLYURETHANE AIR HOSE	20/5	802090-19365 -1
19366	1/4IN X 50FT POLYURETHANE AIR HOSE	2/10	802090-19366 -8
19367	1/4IN X 100FT POLYURETHANE AIR HOSE	2/10	802090-19367 -5
19368	1/4 X 25FT POLYURETHANE RECOIL AIR HOSE	40/1	802090-19368 -2
19369	1/4IN SWIVEL CONNECTOR	144/12	802090-19369 -9
19371	3/8IN X 50FT PVC AIR HOSE, 1/4IN NPT	6/1	802090-19371 -2
19377	3/8 HYBRID AIR HOSE, 50FT, 1/4IN NPT	6/1	802090-19377 -4
19378	INLINE BLOW GUN	48/8	802090-19378 -1
19380	POCKET BLOW GUN	80/10	802090-19380 -4
19385	BLOW GUN SHIELD	72/12	802090-19385 -9
19387	20IN AIR BLOW GUN	48/12	802090-19387 -3
19388	30IN AIR BLOW GUN	48/12	802090-19388 -0
19389	40IN AIR BLOW GUN	48/12	802090-19389 -7
19390	AIR DRYER GUN	20/1	802090-19390 -3
19395	AIR DRYER STAND AND HOSE	4/1	802090-19395 -8
19418	SIPHON FEED PRODUCTION SPRAY GUN	10/1	802090-19418 -4
19419	SPOT SPRAY NON-AEROSOL SPRAYER	1/20	802090-19419 -1
19420	SPOT SPRAY REBUILD KIT	50/25	802090-19420 -7
19421	TWINPACK SPOT SPRAYER SET	10/1	802090-19421 -4
19551	DUAL ACTION GRAVITY FEED AIRBRUSH	20/1	802090-19551 -8

# ***PART NUMBER LISTING***

<b>PART NO.</b>	<b>DESCRIPTION</b>	<b>MASTER / INNER</b>	<b>UPC - CHECK DIGIT</b>
19552	REPLACEMENT HOSE FOR 19551	1/1	802090-19552
19614	1.4MM WATERBORNE READY HVLP SPRAY GUN	10/1	802090-19614 -0
19614-14	1.4MM NEEDLE & NOZZLE SET	1/1	
19699	19PC AIR TOOL KIT	5/1	802090-19699 -7
19701	20PC DIE GRINDER KIT	5/1	802090-19701 -7
19703	CUT OFF TOOL	5/1	809020-19703 -1
19704	DIE GRINDER	20/1	802090-19704 -8
19706	1/2IN IMPACT WRENCH	5/1	809020-19706 -2
19707	AIR RATCHET	20/1	802090-19707 -9
19709	AIR HAMMER	5/1	802090-19709 -3
19800	3PC DUAL SET UP HVLP SPRAY GUN KIT	5/1	802090-19800 -7
19900	600ML PLASTIC CUP & LID	24/6	802090-19900 -4
19902	2PC PLASTIC LID FOR	48/6	802090-19902 -8
19903	REPLACEMENT CUP & LID	24/6	802090-19903 -5
19905	600ML PAINT MIXING CUP	10/1	802090-19905 -9
19906	ALUMINUM PAINT CUP AND PLASTIC LID	24/6	802090-19906 -6
19907	PAINT CUP REPLACEMENT LID	24/6	802090-19907 -3
19908	SPRAY GUN REBUILD KIT FOR 19000 SERIES	144/12	802090-19908 -0
19909	SPRAY GUN REBUILD KIT FOR 19100 SERIES	144/12	802090-19909 -7
19910	SPRAY GUN REBUILD KIT FOR TOUCH UP GUN	144/12	802090-19910 -3
19911	5PC IN-LINE PAINT FILTER	144/12	802090-19911 -0
19990	AIR SPRAY GUN HOLDER	10/5	802090-19990 -5
19991	SPRAY GUN HOLDER, MAGNETIC	24/6	802090-19991 -2





**1-800-386-0191**

Fax: 1-800-386-0196 • Email: [info@titan-us.com](mailto:info@titan-us.com)

Distributed by Star Asia-USA, L.L.C. • P.O. Box 58399, Renton, WA 98058

Copyright 2011 Star Asia-USA, L.L.C. All right reserved. Information contained in this literature is intended for use by Titan and Star Asia-USA, L.L.C. customers only. Any other use is prohibited. Titan and Star-Asia-USA, L.L.C. are not responsible for typographical errors. Pictures are intended for reference only - actual product may vary. In our ongoing effort to provide the best quality and cost effectiveness, upgrades and modifications may be made to our products subsequent to publications which consequently will not be reflected here. Please check with your sales representative for latest information when placing orders.

catalog version 1.0